


## 5 Wire Resistive Touch Panel

Sizes Available:

From 4.3" to 26"

Solutions:

Touch Window  
Sunlight Readable  
Vandal-Proof  
EMI Shielding  
Anti-abrasion GFG  
Up to 24"  
AG, AR available



## Projected Capacitive Touch Panel

Sizes Available:

From 7" to 24"

True flat and embedded design

COB or COF

AR/AS/AG/AB/IR

GFF/GG

Sunlight Readable

Vandal-Proof

EMI Shielding



The Membrane Keyboard Company Ltd  
 Unit 2  
 Fort Fareham Business Park  
 Newgate Lane  
 Fareham  
 Hampshire  
 PO14 1AH


t ■ +44(0)1329 281091  
 f ■ +44(0)1329 281104

w ■ www.membrane-keyboards.com  
 e ■ sales@membrane-keyboards.com


### Matching outline design for True flat RTP and PCAP (Standard)

10.4 "	12.1"
15"	15.6"
17"	19"
21.5"	

### Resistive



### Capacitive




The Membrane Keyboard Company Ltd  
 Unit 2  
 Fort Farnham Business Park  
 Newgate Lane  
 Farnham  
 Hampshire  
 PO14 1AH

t ■ +44(0)1329 281091  
 f ■ +44(0)1329 281104


w ■ www.membrane-keyboards.com  
 e ■ sales@membrane-keyboards.com

### Matching outline design for True flat RTP and PCAP (Bezel free)

#### Resistive



#### Capacitive



The Membrane Keyboard Company Ltd  
Unit 2  
Fort Farnham Business Park  
Newgate Lane  
Fareham  
Hampshire  
PO14 1AH

t ■ +44(0)1329 281091  
f ■ +44(0)1329 281104

w ■ [www.membrane-keyboards.com](http://www.membrane-keyboards.com)  
e ■ [sales@membrane-keyboards.com](mailto:sales@membrane-keyboards.com)

## Optical Bonding

Sizes Available:  
Up to 24"

TP/LCD, CG/LCD  
Enhanced optical performance  
Superior impact absorption  
Dust/Water resistance  
UV/Environmental resistance solutions available



## Advanced Optical Bonding



Optical properties	Reflection		(R)	0.3%				On Black Acrylic
	Total Light Transmittance		(T.T)	95.2%				On Glass
	Haze		(Hz)	0.4%				
	Yellow Index		(YI)	0.0%				
Reliability			(R)	(T.T)	(Hz)	(YI)	On Glass	
	65°C 95%RH	1000H	0.3%	95.6%	0.7%	0.8%		
	95°C	1000H	0.3%	95.3%	0.4%	1.3%		
	85°C 85%RH	1000H	0.3%	95.3%	1.1%	1.5%		
	SWOM 63°C	1000H	0.3%	94.9%	0.4%	2.3%		



The Membrane Keyboard Company Ltd  
Unit 2  
Fort Farnham Business Park  
Newgate Lane  
Farnham  
Hampshire  
PO14 1AH

t ■ +44(0)1329 281091  
f ■ +44(0)1329 281104

w ■ [www.membrane-keyboards.com](http://www.membrane-keyboards.com)  
e ■ [sales@membrane-keyboards.com](mailto:sales@membrane-keyboards.com)

## Controller + IC Solutions

